

ANALYSIS ON CHEMICAL–PHYSICAL APPLICATIONS TO NANOMEDICINE

Miss. Sanjeev Komal,

Abstract: In practically every aspect of science and nanotechnology, nanoscience advancements make living easier in this era. Nanoscience and nanotechnology are a growing area of research involving structures, instruments and systems with new characteristics and functions due to the 1 to 100-nm scale arrangement of their atoms. The area was increasingly susceptible to public awareness and controversy in the early 2000s and in turn the beginnings of commercial nanotechnology applications. In nearly every department of study, nanotechnology, including physics, materials science, chemistry, biology, computer science and engineering. In recent years nanotechnologies, in particular in the area of cancer treatment, have been applied to human health with promising results. The timeline of the findings which got us to the current understanding of the science is helpful to comprehend the nature of nanotechnology. This study displays the progress and key ideas of nanoscience and nanotechnology and shows the pre-modern as well as modern age of discoveries.

Keywords: nanoscience; nanotechnology; nanomaterials; nanoparticles; nanomedicine

1. INTRODUCTION

Definition of Nanoscience and Nanotechnology

The prefix ‘nano’ is referred to a Greek prefix meaning ‘dwarf’ or something very small and depicts one thousand millionth of a meter (10^{-9} m). We should distinguish between nanoscience, and nanotechnology. Nanoscience is the study of structures and molecules on the scales of nanometers ranging between 1 and 100 nm, and the technology that utilizes it in practical applications such as devices etc. is called nanotechnology. As a

comparison, one must realize that a single human hair is 60,000 nm thick and the DNA double helix has a radius of 1 nm (Figure 1). The development of nanoscience can be traced to the time of the Greeks and Democritus in the 5th century B.C., when scientists considered the question of whether matter is continuous, and thus infinitely divisible into smaller pieces, or composed of small, indivisible and indestructible particles, which scientists now call atoms.




Figure 1. A comparison of sizes of nanomaterial. Reproduced with permission from reference.

Nanotechnology is one of the most promising technologies of the 21st century.

International Journal of Engineering Research

VOLUME-1 ISSUE-1 2021

ISSN : 2799-1873

It is the ability to convert the nanoscience theory to useful applications by observing, measuring, manipulating, assembling, controlling and manufacturing matter at the nanometer scale. The National Nanotechnology Initiative (NNI) in the United States define Nanotechnology as “a science, engineering, and technology conducted at the nanoscale (1 to 100 nm), where unique phenomena enable novel applications in a wide range of fields, from chemistry, physics and biology, to medicine, engineering and electronics”. This definition suggests the presence of two conditions for nanotechnology. The first is an issue of scale: nanotechnology is concerned to use structures by controlling their shape and size at nanometer scale. The second issue has to do with novelty: nanotechnology must deal with small things in a way that takes advantage of some properties because of the nanoscale.

We should distinguish between nanoscience and nanotechnology. Nanoscience is a convergence of physics, materials science and biology, which deal with manipulation of materials at atomic and molecular scales; while nanotechnology is the ability to observe measure, manipulate, assemble, control, and manufacture matter at the nanometer scale. There are some reports available, which provided the history of nanoscience and technology, but no report is available which summarize the nanoscience and technology from the beginning to that era with progressive events. Therefore, it is of the utmost requirements to summarize main events in nanoscience and technology to completely understand their development in this field.

2. THE IMAGINATIVE PIONEERS OF NANOTECHNOLOGY

The American physicist and Nobel Prize laureate Richard Feynman introduce the concept of nanotechnology in 1959. During the annual meeting of the American Physical Society, Feynman presented a lecture entitled “There’s Plenty of Room at the Bottom” at the California Institute of Technology (Caltech). In this lecture, Feynman made the hypothesis “Why can’t we write the entire 24

volumes of the Encyclopedia Britannica on the head of a pin?”, and described a vision of using machines to construct smaller machines and down to the molecular level. This new idea demonstrated that Feynman’s hypotheses have been proven correct, and for these reasons, he is considered the father of modern nanotechnology. After fifteen years, Norio Taniguchi, a Japanese scientist was the first to use and define the term “nanotechnology” in 1974 as: “nanotechnology mainly consists of the processing of separation, consolidation, and deformation of materials by one atom or one molecule”.

After Feynman had discovered this new field of research catching the interest of many scientists, two approaches have been developed describing the different possibilities for the synthesis of nanostructures. These manufacturing approaches fall under two categories: top-down and bottom-up, which differ in degrees of quality, speed and cost.

The top-down approach is essentially the breaking down of bulk material to get nano-sized particles. This can be achieved by using advanced techniques such as precision engineering and lithography which have been developed and optimized by industry during recent decades. Precision engineering supports the majority of the micro-electronics industry during the entire production process, and the high performance can be achieved through the use of a combination of improvements. These include the use of advanced nanostructure based on diamond or cubic boron nitride and sensors for size control, combined with numerical control and advanced servo-drive technologies. Lithography involves the patterning of a surface through exposure to light, ions or electrons, and the deposition of material on to that surface to produce the desired material.

The bottom-up approach refers to the build-up of nanostructures from the bottom: atom-by-atom or molecule-by-molecule by physical and chemical methods which are in a nanoscale range (1 nm to 100 nm) using controlled manipulation of self-assembly of atoms and molecules. Chemical synthesis is a method of producing rough materials which

can be used either directly in product in their bulk disordered form, or as the building blocks of more advanced ordered materials. Self-assembly is a bottom-up approach in which atoms or molecules organize themselves into ordered nanostructures by chemical-physical interactions between them. Positional assembly is the only technique in which single atoms, molecules or cluster can be positioned freely one-by-one.

The general concept of top down and bottom up and different methods adopted to synthesized nanoparticles by using these techniques are summarized in Figure 2. In 1986, K. Eric Drexler published the first book on nanotechnology “Engines of Creation: The

Coming Era of Nanotechnology”, which led to the theory of “molecular engineering” becoming more popular. Drexler described the build-up of complex machines from individual atoms, which can independently manipulate molecules and atoms and thereby produces self-assembly nanostructures. Later on, in 1991, Drexler, Peterson and Pergamit published another book entitled “Unbounding the Future: the Nanotechnology Revolution” in which they use the terms “nanobots” or “assemblers” for nano processes in medicine applications and then the famous term “nanomedicine” was used for the first time after that.




Figure 2. The concept of top down and bottom up technology: different methods for nanoparticle synthesis.

1. History of Nanotechnology

Nanoparticles and structures have been used by humans in fourth century AD, by the Roman, which demonstrated one of the most interesting examples of nanotechnology in the ancient world. The Lycurgus cup, from the British Museum collection, represents one of the most outstanding achievements in ancient glass

industry. It is the oldest famous example of dichroic glass. Dichroic glass describes two different types of glass, which change color in certain lighting conditions. This means that the Cup have two different colors: the glass appears green in direct light, and red-purple when light shines through the glass (Figure 3).



Figure 3. The Lycurgus cup. The glass appears green in reflected light (A) and red-purple in transmitted light (B). Reproduced with permission from reference.

In 1990, the scientists analyzed the cup using a transmission electron microscopy (TEM) to explain the phenomenon of dichroism. The observed dichroism (two colors) is due to the presence of nanoparticles with 50–100 nm in diameter. X-ray analysis showed that these nanoparticles are silver-gold (Ag-Au) alloy, with a ratio of Ag:Au of about 7:3, containing in addition about 10% copper (Cu) dispersed in a glass matrix. The Au nanoparticles produce a red color as result of light absorption (~520 nm). The red-purple color is due to the absorption by the bigger particles while the

green color is attributed to the light scattering by colloidal dispersions of Ag nanoparticles with a size

> 40 nm. The Lycurgus cup is recognized as one of the oldest synthetic nanomaterials. A similar effect is seen in late medieval church windows, shining a luminous red and yellow colors due to the fusion of Au and Ag nanoparticles into the glass. Figure 4 shows an example of the effect of these nanoparticles with different sizes to the stained glass windows.




Figure 4. Effect of nanoparticles on the colors of the stained glass windows. Reproduced with permission from reference.

During the 9th–17th centuries, glowing, glittering “luster” ceramic glazes used in the Islamic world, and later in Europe contained Ag or copper (Cu) or other nanoparticles. The Italians

also employed nanoparticles in creating Renaissance pottery during 16th century. They were influenced by Ottoman techniques: during the 13th–18th centuries, to produce “Damascus” saber blades, cementite nanowires and carbon nanotubes were used to

provide strength, resilience, and the ability to hold a keen edge. These colors and material properties were produced intentionally for hundreds of years. Medieval artists and forgers, however, did not know the cause of these surprising effects.

In 1857, Michael Faraday studied the preparation and properties of colloidal

suspensions of “Ruby” gold. Their unique optical and electronic properties make them some of the most interesting nanoparticles. Faraday demonstrated how gold nanoparticles produce different-colored solutions under certain lighting conditions. The progression in nanotechnology due to the blessings of nanoscience are summarized in the Figure 5.




Figure 5. Progresses in Nanotechnology.

2. Modern Era of Nanotechnology

There was a progress in nanotechnology since the early ideas of Feynman until 1981 when the physicists Gerd Binnig and Heinrich Rohrer invented a new type of microscope at IBM Zurich Research Laboratory, the Scanning Tunneling Microscope (STM). The STM uses a sharp tip that moves so close to a conductive

surface that the electron wave functions of the atoms in the tip overlap with the surface atom wave functions. When a voltage is applied, electrons “tunnel” through the vacuum gap from the atom of the tip into the surface (or vice versa). In 1983, the group published the first STM image of the Si(111)-7 × 7 reconstructed surface, which nowadays can be routinely imaged as shown in Figure 6 .




Figure 6. STM image of the Si(111)-7 × 7 reconstructed surface showing atomic scale resolution of the top-most layer of silicon atoms. Reproduced with permission from reference.

A few years later, in 1990, Don Eigler of IBM in Almaden and his

colleagues used a STM to manipulate 35 individual xenon atoms on a nickel surface

and formed the letters of IBM logo (Figure 7). The STM was invented to image surfaces at the atomic scale and has been used as a tool with which atoms and molecules can be

manipulated to create structures. The tunneling current can be used to selectively break or induce chemical bonds.




Figure 7. 35 Xenon atoms positioned on a nickel (110) substrate using a STM to form IBM logo. Reproduced with permission from reference.

In 1986, Binnig and Rohrer received the Nobel Prize in Physics “for their design of the STM”. This invention led to the development of the atomic force microscope (AFM) and scanning probe microscopes (SPM), which are the instruments of choice for nanotechnology researchers today. At the same time, in 1985, Robert Curl, Harold Kroto, and Richard Smalley discovered that carbon can also exist in the form of very stable spheres, the fullerenes or buckyballs. The carbon balls with chemical formula C_{60} or C_{70} are formed when graphite is evaporated in an inert atmosphere. A new carbon chemistry has been now developed, and it is possible to enclose

metal atoms and create new organic compounds. A few years later, in 1991, Iijima et al. observed of hollow graphitic tubes or carbon nanotubes by Transmission Electron Microscopy (TEM) which form another member of the fullerene family (Figure 8). The strength and flexibility of carbon nanotubes make them potentially useful in many nanotechnological applications. Currently, Carbon nanotubes are used as composite fibers in polymers and beton to improve the mechanical, thermal and electrical properties of the bulk product. They also have potential applications as field emitters, energy storage materials, catalysis, and molecular electronic components.




Figure 8. Schematic of a C_{60} buckyball (Fullerene) (A) and carbon nanotube (B).

International Journal of Engineering Research

VOLUME-1 ISSUE-1 2021

ISSN : 2799-1873

In 2004, a new class of carbon nanomaterials called carbon dots (C-dots) with size below 10 nm was discovered accidentally by Xu et al. during the purification of single-walled carbon nanotubes. C-dots with interesting properties have gradually become a rising star as a new nanocarbon member due to their benign, abundant and inexpensive nature. Possessing such superior properties as low toxicity and good biocompatibility renders C-dots favorable materials for applications in bioimaging, biosensor and drug delivery. Based on their excellent optical and electronic properties, C-dots can also offer exciting opportunities for catalysis, energy conversion, photovoltaic devices and nanoprobe for sensitive ion detection. After the discovery of “graphene” in 2004, carbon-based materials became the backbone of almost every field of science and engineering.

In the meantime, nanoscience progressed in other fields of science like in computer science, bio and engineering. Nanoscience and technology progressed in computer science to decrease the size of a normal computer from a room size to highly efficient moveable laptops. Electrical engineers progressed to design the complex electrical circuits down to nanoscale level. Also, many advances are noticed in smart phone technology and other modern electronic devices for daily uses.

At the beginning of 21st century, there was an increased interest in the nanoscience and nanotechnology fields. In the United States, Feynman’s concept of manipulation of matter at the atomic level played an important role in shaping national science priorities. During a speech at Caltech on 21 January 2000, President Bill Clinton advocated for the funding of research in the field of nanotechnology. Three years later, President George W. Bush signed into law the 21st century Nanotechnology Research and Development Act. The legislation made nanotechnology research a national priority and created the National Technology Initiative (NNI).

Recently, a number of studies highlighted the huge potential that nanotechnologies play in biomedicine for the diagnosis and therapy of many human diseases. In this regard, bio-nanotechnology is considered by many experts as one of the most intriguing field of application of nanoscience. During recent decades, the applications of nanotechnology in many biology related areas such as diagnosis, drug delivery, and molecular imaging are being intensively researched and offered excellent results. Remarkably, a plethora of medical-related products containing nanomaterials are currently on the market in the USA. Examples of “nanopharmaceuticals” include nanomaterials for drug delivery and regenerative medicine, as well as nanoparticles with antibacterial activities or functional nanostructures used for biomarker detection like nanobiochips, nanoelectrodes, or nanobiosensors.

One of the most important applications of nanotechnology to molecular biology has been related to nucleic acids. In 2006, Paul Rothemund developed the “scaffolded DNA origami”, by enhancing the complexity and size of self-assembled DNA nanostructures in a “one-pot” reaction. The conceptual foundation for DNA nanotechnology was first laid out by Nadrian Seeman in 1982: “It is possible to generate sequences of oligomeric nucleic acids, which will preferentially associate to form migrationally immobile junctions, rather than linear duplexes, as they usually do”. DNA nanotechnology has already become an interdisciplinary research area, with researchers from physics, chemistry, materials science, computer science, and medicine coming together to find solutions for future challenges in nanotechnology. Notably, years of extensive studied made possible to use DNA and other biopolymers directly in array technologies for sensing and diagnostic applications.

Remarkable progresses have been made also in the field of nano-oncology by improving the efficacy of traditional chemotherapy drugs for a plethora of aggressive human cancers. These advances have been achieved by targeting the tumour site with several functional molecules including nanoparticles, antibodies and cytotoxic agents. In this context, many studies showed that nanomaterials can be employed itself or to deliver therapeutic molecules to modulate essential biological processes, like autophagy, metabolism or oxidative stress, exerting anticancer activity.

Hence, nano-oncology is a very attractive application of nanoscience and allows for the improvement of tumour response rates in addition to a significant reduction of the systemic toxicity associated with current chemotherapy treatments.

International Journal of Engineering Research

VOLUME-1 ISSUE-1 2021

ISSN : 2799-1873

Nanotechnology has been used to improve the environment and to produce more efficient and cost-effective energy, such as generating less pollution during the manufacture of materials, producing solar cells that generate electricity at a competitive cost, cleaning up organic chemicals polluting groundwater, and cleaning volatile organic compounds (VOCs) from air.

However, the application of computational approaches to nanomedicine is yet underdeveloped and is an exigent area of research. The need for computational applications at the nano scale has given rise to the field of nanoinformatics.

Powerful machine-learning algorithms and predictive analytics can considerably facilitate the design of more efficient nanocarriers. Such algorithms provide predictive knowledge on future data, have been mainly applied for predicting cellular uptake, activity, and cytotoxicity of nanoparticles.

Data mining, network analysis, quantitative structure-property relationship (QSPR), quantitative structure-activity relationship (QSAR), and ADMET (absorption, distribution, metabolism, excretion, and toxicity) predictors are some of the other prominent property evaluations being carried out in nanoinformatics.

Nanoinformatics has provided a major supplementary platform for nanoparticle design and analysis to overcome such in vitro barriers. Nanoinformatics exclusively deals with the assembling, sharing, envisaging, modeling, and evaluation of significant nanoscale level data and information. Nanoinformatics also facilitates chemotherapy by improving the nano-modeling of the tumor cells and aids detection of the drug-resistant tumors easily. Hyperthermia-based targeted drug delivery and gene therapy approaches are the latest nanoinformatics techniques proven to treat cancer with least side effects.

3. Conclusions

The progress of nanoscience and nanotechnology in different fields of science has expanded in different directions, to observe things from micro to nano, to even smaller scale sizes by different microscopes in physics, from micro size bulk matter to small size carbon dots in chemistry, from room size computers to mobile slim size laptops in computer science, and to observe deeply the behavior of the cell's nucleus to study single complicated biomolecules at the nano level in biological science. All these progressions in different fields of science have been generally overviewed and summarized.

In only a few decades, nanotechnology and nanoscience have become of fundamental importance to industrial applications and medical devices, such as diagnostic biosensors, drug delivery systems, and imaging probes. For example, in the food industry, nanomaterials have been exploited to increase drastically the production, packaging, shelf life, and bioavailability of nutrients. In contrast, zinc oxide nanostructures display antimicrobial activity against food-borne bacteria, and a plethora of different nanomaterials are nowadays used for diagnostic purposes as food sensors to detect food quality and safety.

References

1. Mansoori, G.; Fauzi Soelaiman, T. Nanotechnology—An Introduction for the Standards Community. *J. ASTM Int.* **2005**, *2*, 1–22.
2. Gnach, A.; Lipinski, T.; Bednarkiewicz, A.; Rybka, J.; Capobianco, J.A. Upconverting nanoparticles: Assessing the toxicity. *Chem. Soc. Rev.* **2015**, *44*, 1561–1584. [[CrossRef](#)] [[PubMed](#)]
3. National Nanotechnology Initiative (NNI). Available online: www.nano.gov (accessed on 22 July 2019).
4. Allhoff, F. On the Autonomy and Justification of Nanoethics. *Nanoethics* **2007**, *1*, 185–210. [[CrossRef](#)]
5. Feynman, R.P. There's plenty of room at the bottom. *Eng. Sci.* **1960**, *23*, 22–36.
6. Taniguchi, N.; Arakawa, C.; Kobayashi, T. On the basic concept of nano-technology. In Proceedings of the International Conference on Production Engineering, Tokyo, Japan, 26–29 August 1974.
7. Iqbal, P.; Preece, J.A.; Mendes, P.M. Nanotechnology: The “Top-Down” and “Bottom-Up” Approaches. In *Supramolecular Chemistry*; John Wiley & Sons, Ltd.: Chichester, UK, 2012.
8. Drexler, E.K. *Engines of Creation: The Coming Era of Nanotechnology*; Anchor Press: Garden City, NY, USA, 1986.